SINGER Memo-Matic KNITTING FASHIONS



SINGER

MEMO-MATIC KNITTING FASHIONS

BOOK No. 31

Published with All Rights Reserved by

SINGER AUSTRALIA LIMITED

tension

This varies slightly with each Singer Machine, so it is necessary to check your tension before commencing.

How to check your tension

It is advisable to make a swatch or sample piece in the yarn to be used and measure 24 hours later. Set up single bed machine with 70 stitches, and with the T.D. at the setting recommended for the yarn, work 70 rows. Remove work from machine and, using a rule or inch tape, measure the stitches to 4 inches (10 cm) and the rows to 4 inches (10 cm). If the tension is too loose, move the T.D. setting forward one dot. (Remember when working ribbing to alter both T.D's either back or forward to correspond with stockinet.)

CAUTION

These garments have been designed exclusively for the yarns specified. We strongly recommend the use of this yarn to obtain the correct results.

abbreviations

Beg.	 • • •	 	Beginning							
										Decrease
										Increase
K.		 	Knit							
Rem.	 	 	 	 	 	 	 	 	 	Remaining
R.C.	 	 	 	 	 	 	 	 	 	Row Counter
St.	 	 	 	 	 	 	 	 	 	Stitch
										Stocking Stitch
T.	 	 	 	 	 	 	 	 	 	Tension
M.C.	 	 	 	 	 	 	 	 	 	Main Colour
C.C.		 	Contrast Colour							
F.1	 	 	 	 	 	 	 	 	 	Feeder 1
F.2			 	Feeder 2						



INSTRUCTION FOR MODELS 312, 313, 321, 322/323.

Illustration Front Cover

MEASUREMEN	TS			
Size		Α	В	С
Fits Underarm	cm	41	46	51
	ins.	16	18	20
Measures	cm	41	46	51
	ins.	16	18	20
Length	cm	22	24	27
	ins.	8½	91/2	10%
Sleeve Seam	cm	13	15	18
	ins.	5	6	7

MATERIALS

JACKET

PATONS 5 PLY HARMONY "PATONISED"

100 g balls 2 2

PATONS BLUEBELL "PATONISED"

25g balls 5 6 7

HAT

PATONS 5 PLY HARMONY "PATONISED"

100g balls 1 1 1

PATONS BLUEBELL "PATONISED"

25g balls 2 2

3

4 Buttons for Jacket 1 Button for Hat.

PATTERN

Models 312, 313 - Series 23 - Card 42A (9). Page 5. Tuck.

Models 321, 322 and 323 — Series 53 — Card 242A (1). Page 1 Tuck.

Note-Knit side is right side.

TENSION—29 sts. to 10 cm (4 ins.) in width and 40 rows to 10 cm (4 ins.) in depth, measured over st. st. Suggested T. 7 for 5 ply Harmony or T. 8 for Bluebell. Check the tension on your machine to ensure accuracy. The instruction is written for 5 ply Harmony.

JACKET

BACK—Carriage on right, using waste knitting cast on 74 (83, 92) sts. * Carriage on left T. 7.2, K. 6 rows. K. 1 row with ravel cord. T. 4.2 Using M.C. K. 5 rows. ** Transfer every 2nd st. on to adjacent needle, leave empty needles in working position, then K. 1 row. ** T. 7, K.6 rows. Take up hem. T. 7.2, K. 1 row. * R.C. 0. T. 7, using card, commence

pattern and K. 41 rows, dec. at each end of 2nd row and every following 8th row 4 times. 64 (73, 82) sts. Stop card. Work 20 (28, 36) rows in stockinet dec. at each end of next row and every following 8th row 2 (3, 4) times, 58 (65, 72) sts. 61 (69, 77) rows.

Armhole Shaping. R.C. 0. Cast off 2 sts. at beg. of next 2 rows. With transfer tool transfer 3rd st. from each end on to 4th needle, move up last 2 sts, knit row. Dec. in this manner in every 2nd row 16 (17, 18) times. 20 (25, 30) sts., then every row 0 (1, 3) time/s. 20 (23, 24) sts. A only — K. 1 row. 36 (38 42) rows. Cast off.

LEFT FRONT—Carriage on right, using waste knitting, cast on 37 (41, 46) sts. Work as given from * to * for Back. R.C. 0. T. 7, using card, commence pattern and K. 41 rows, dec. at beg. of 2nd row and every following 8th row 4 times. 32 (36, 41) sts. Stop card. Work 20 (28, 36) rows in stockinet, dec. at beg. of next row and every following 8th row 2 (3, 4) times. 29 (32, 36) sts. 61 (69, 77) rows.

Armhole Shaping. Cast off 2 sts. at beg. of next row. Dec. (as for Back). 1 st. at beg. of every 2nd row 10 (11, 12) times, 17 (19, 22) sts.

Neck Shaping. Cast off 4 sts. at beg. of next row Dec. 1 st. (at armhole edge as before) at each end of next row and every 2nd row 3 (4, 5) times. 5 (5, 6) sts. Dec. 1 st. at armhole edge (as before) in every 2nd row 3 (2, 1) time/s, then every row 0 (1, 3) time/s. 2 sts. A only, K. 1 row. All sizes — K. 2 tog. 36 (38, 42) rows. Fasten off.

RIGHT FRONT—Work to correspond with Left Front, reversing shapings.

SLEEVES—Carriage on right, using waste knitting, cast on 38 (40, 42) sts. Work as given from * to * for Back. R.C. O. T. 7, K. 3 rows stockinet. Inc. 1 st. at each end of next row and every following 6th row 5 (6, 7) times. 50 (54, 58) sts. K. 9 (13, 17) rows. 43 (53, 63) rows.

Armhole Shaping. R.C. 0. Cast off 2 sts. at beg. of next 2 rows. Dec. (as for Back) 1 st. at each end of next row and every 2nd row 14 (14, 17) times, then every row 5 (7, 5) times. 6 (6, 8) sts. 36 (38, 42) rows. Cast off.

NECKBAND—Carriage on right, using waste knitting, cast on 50 (56, 62) sts. Work as given from * to * for Back. Cast off.

Waste knitting, cast on 60 (66, 74) sts. Carriage on left T. 7.2, K. 6 rows. K. 1 row with ravel cord. T. 4.2, Using M.C., K. 3 rows. *** Counting from

left side of machine, transfer 3rd and 4th, 13th and 14th, 23rd and 24th, 33rd and 34th sts. on to adjacent needles (buttonholes) leaving empty needles in working position. K. 1 row. Remove yarn from buttonhole needles and wind around the needles to form cast-on edge. *** K. 3 rows. Work as given from ** to ** for Back. T. 7, K. 4 rows. Repeat from to ***. K. 1 row. Take up hem. T. 7.2, K. 1 row. Cast off.

LEFT FRONT BAND—Work as given for Right Front Band, omitting buttonholes.

MAKE UP—With a slightly damp cloth and warm iron, press very lightly. Using back-stitch, sew sleeves to fronts and back, noting that tops of sleeves form part of neckline. Sew up side and sleeve seams, then sew neckband and front bands in position. Oversew around buttonholes. Sew on buttons.

HAT

Carriage on right, using waste knitting, cast on 80

(94, 100) sts. Work as given from * to * for Back of Jacket. R.C. 0. T. 7, K. 31 (33, 35) rows.

Shape Back. Cast off 7 (8, 8) sts. at beg. of next 8 (6, 4) rows, B and C only, then 9 sts. at beg. of following (2, 4) rows. 24 (28, 32) sts. K. 40 (44, 48) rows, dec. 1 st. at each end of 7th row and every following 10th row 3 times. 16 (20, 24) sts. 79 (85, 91) rows. Cast off.

LOWER BAND—Carriage on right, using waste knitting cast on 68 (74, 80) sts. Carriage on left. T. 7.2, K. 6 rows. K. 1 row with ravel cord. T. 4.2, Using M.C., K. 3 rows. * Transfer 3rd and 4th sts. on to adjacent needle making buttonhole as on jacket. * K. 4 rows. Work as given from ** to ** for back of Jacket. T. 7, K. 4 rows. Repeat from * to *. K. 2 rows. Take up hem. T. 7.2, K. 1 row. Cast off.

MAKE UP—With a slightly damp cloth and warm iron, press lightly. Sew up back seams. Sew lower band in position. Sew on button.

2

Baby's Poncho & hat

THIS INSTRUCTION SUITABLE FOR ALL MODELS

Size A						S	JREMENTS
	4	ı					
Chest cm. 46	40	n. 4	cm.	cm.	cm.	cm.	cm.
ins. 18	18	i. 1	ins.	ins.	ins.	ins.	ins.
Length (at shortest cm 20	20	1 2	cm	cm	cm		
point, excluding fringe) ins. 8	8	i.	ins.	ins.	ins.	ige) ins.	xcluding fringe) ins.

MATERIALS

PONCHO.

PATONS 5 PLY HARMONY "PATONISED"

100g balls

2

PATONS BLUEBELL "PATONISED"

25g balls

НΔТ

PATONS 5 PLY HARMONY "PATONISED"

100g balls 1

PATONS BLUEBELL "PATONISED"

25g balls 2

3.50 (No. 9) "Disc" Crochet Hook, 1 Button for Hat.

PATTERN

TENSION-29 sts. and 40 rows to 10 cm (4 ins.) over stocking stitch. Suggested T. 7 for 5 ply Harmony or T. 8 for Bluebell. Check the tension on your machine to ensure accuracy. Instruction is written for 5 ply Harmony.



PONCHO

(FIRST 2 PIECES). Carriage on right bring 58 needles into "D" position, then handwind yarn from left to right as in instruction book. R.C. 0. T. 7, K. 1 row. Place needles for pattern as follows — Counting from side closest to carriage place needles into position thus — 2nd st. on to 3rd needle leaving empty needle in "B" position (eyelet), 5th st. on to 6th needle, push empty needle into "A" position, 10th st. on to 11th needle, push empty needle into "A" position, 15th st. on to 16th needle, push empty needle into "A" position. NOTE—Needles in "A" position are counted as sts. K. 4 rows, working eyelet as before after every 2nd row.

*** CABLE STITCH—Working over 2 groups of 4 sts. between "A" position needles, work 2 cables thus — using 2 two-eyed tools, cross 2 outside sts. over 2 inside sts. (see page 59 model 321 or page 66 models 322 or 323). K. 8 rows, working eyelet as before after every 2nd row. ** Rep. from ** to ** for patt. Work 20 rows in patt. Continue in patt. Dec. at beg. of next row and every 2nd row 54 times. K. 2 rows. 2 sts. 144 rows. Cast off. Work 2 pieces more reversing all shapings and cables.

NECKBAND—Carriage on right, using waste knitting, cast on 113 sts. Carriage on left, T. 7.2, K. 3 rows. K. 1 row with ravel cord. T. 4.2, using M.C., K. 5 rows. T. 7, K. 5 rows. Take up hem T. 7.2, K. 1 row. Transfer every second st. on to adjacent needle, leaving empty needles in working position, T. 7, K. 3 rows. Cast off.

MAKE UP-With a slightly damp cloth and warm

iron, press lightly. Using back-stitch, sew up shoulder and centre back and front seams. Join neckband seam and placing seam to centre back, sew neckband in position. Wind yarn round a piece of cardboard 7 cm (2% inches) wide and cut along one edge. With wrong side facing using crochet hook and 4 strands of yarn, fold yarn in half and draw through an eyelet at lower edge of work, pull ends through loop and tighten. Repeat in every eyelet around edge of poncho. Using 2 strands of yarn 2 m. (2 yds.) long, make a twisted cord and thread through holes at neck, then make a small tassel at each end of cord.

HAT

Carriage on right, using waste knitting, cast on 94 sts. T. 5, K. 6 rows. K. 1 row with ravel cord. T. 4.2. Using M.C., K. 8 rows. T. 6, K. 8 rows. Take up hem. T. 8, K. 1 row. R.C. 0. K. 40 rows. Cast off 10 sts. at beg. of next 6 rows. 34 sts. 46 rows. Cast off.

LOWER BAND—Carriage on right, using waste knitting, cast on 81 sts. Carriage on left T. 7.2, K. 5 rows. K. 1 row with ravel cord. T. 4.2, using M.C. K. 7 rows, transferring 3rd st. from right on to adjacent needle (buttonhole) in 4th row. T. 7 knit 7 rows, transferring 3rd st. from right on to adjacent needle (buttonhole) in 4th row. Take up hem. T. 7.2, K. 1 row. Cast off.

MAKE UP—With a slightly damp cloth and warm iron, press lightly. Using back-stitch, sew up centre back seam and sew lower band in position leaving 5 cm (2 ins.) free on buttonhole edge for strap. Oversew ends and buttonhole. Sew on button.

3 Baby's Jumper and Legainas

SUITABLE FOR MODELS WITH 321 or 322 RIBBER

Illustration on page 7.

MEASUREMENTS	<u> </u>				MATERIALS PATONS 3 PLY FEATHERSOFT "PATONISED"					
Size		A	В	С						
Chest	cm	41	46	51	JUMPER	25g balls	4	4	5	
	ins.	16	18	20						
					LEGGINGS	25g balls	4	4	4	
Measures	cm	43	48	53		•				
	ins.	17	19	21	3.00 (No. 10-1	1) Crochet Hoo	ok.			
Jumper — Length	cm ins.	22 8½	24 9½	27 10¾	3 Buttons for Jumper. Length of elastic for Leggings.					
Sleeve Seam	cm	13	15	18						
	ins.	5	6	7	PATTERN					
Leggings – Outside	cm	36	39	47						
Leg Length	ins.	14	15½	18½	Punch Card	286A - Serie	s 57 — P	unch Tuc	k Rib o	

Card as shown for Pattern 29, Memo-Matic Patterns Book page 242. (Punch Tuck Rib).

TENSION-Jumper 2 patterns (24 sts. on main bed) to 10 cm (4 ins.) in width, 2 patterns (48 rows) to 7.9 cm (3-1/8 ins.) in depth. Suggested Tension 6.2 on main machine and 5.2 on ribber. Leggings 34 sts. and 48 rows to 10 cm (4 ins.). Suggested tension 6.2. Check the tension on your machine to ensure accuracy. Note — Where a number of sts. is stated throughout instruction, this refers to sts. on main bed only. Across ind one 10/6/75

JUMPER

BACK-Select 52 (58, 64) needles on main bed -23 (26) (29) L of 0. 29 (32) 35) R of 0 and 51 (57, 63) needles on ribber. ** T. O. Set machine and cast on for Double Rib, R.C. O. T. 3. main machine, T. 2 ribber, K. 16 rows. T. 6.2, main machine, T. 5.2 ribber, set machine for Punch Tuck Rib, as in instruction manual R.C. O. Using Card. ** K. 53 (67, 73) rows.

Shape Raglan. R.C. O. Transfer 2 end sts. on ribber on to 2 end sts. on main bed and cast these off at beg. of next 2 rows. *** Dec. 1 st. at each end of ribber and main bed in next row and every following 4th row 8 (5, 3) times, then in every following 3rd row 6 (11, 15) times, 18 (20, 22) sts. A only – K. 1 row. 54 (56, 60) rows. Transfer every st. on ribber on to needles on main bed. Cast off.

FRONT-Work as for Back to ***. Dec. 1 st. at each end of ribber and main bed in next row and every following 4th row 7 (5, 3) times, then in every following 3rd row 0 (3, 7) times . . . 32 (36, 38) sts. Work 1 (2, 0) row/s.

Shape Neck. Note Card row number in window. K. 19 (21, 23) needles opposite carriage on to 6 rows of waste knitting, push same needles into "A" position (waste knitting prevents brushing up of yarn). B only - K. 1 row, dec. 1 st. at armhole edge (as before). All sizes - Dec. 1 st. at each end of ribber and main bed in every 3rd row 4 (5, 5) times. 5 (4, 5) sts. Dec. 1 st. (on main bed and ribber) at armhole edge only in every 3rd row until 2 sts. rem. K. 1 (0, 0) row/s. K. 2 tog. Fasten off. 54 (56, 60) rows. Pull undone waste knitting and return needles into "B" position. Transfer 7 (7, 9) sts. on ribber on to centre 6 (6, 8) needles on main bed. Cast off 6 (6, 8) sts. at centre. Rememorize carriage to Card row previously noted. R.C. 32 (34, 36). Knit to correspond with other side.

SLEEVES-Select 32 (34, 36) needles on main bed, 13 (14, 15) L of 0. 19 (20, 21) R of 0, 31 (33, 35) needles on ribber. Work as for Back from ** to **. K. 5 rows. Inc. 1 st. at each end of ribber and main bed in next row and every 8th (10th, 12th) row 6 times, 46 (48, 50) sts. K. 9 (13, 17) rows. 63 (79, 95) rows.

Shape Raglan. R.C. O. Transfer 2 end sts. on ribber

on to 2 end sts. on main bed, then cast these off at beg. of next 2 rows. Dec. 1 st. at each end of ribber and main bed in next row and every 4th row 5 (4, 5) times, then every following 3rd row 10 (12, 12) times. 10 sts. K. 1 row. 54 (56, 60) rows. Transfer every st. on ribber on to main bed. Cast off.

NECKBAND-Select 65 (71, 75) needles on main bed. Set machine and cast on for Double Rib, page 20, ribber instruction manual. R.C. 0. T.3, main machine, T.2 ribber, rib 8 rows. Transfer every st. on ribber on to needles on main bed. Cast off.

MAKE UP-DO NOT PRESS. Using back-stitch, sew sleeves to front and back, noting that tops of sleeves form part of neckline and leaving 7.5 cm (3 ins.) opening in left back raglan seam. Join side and sleeve seams. Using back-stitch sew cast off edge of neckband to neck edge. Using hook, work 2 rows double crochet along back opening, work three 2 chain buttonholes in 1st row. Fasten off. Sew on buttons.


LEGGINGS


RIGHT LEG-Carriage on right, bring 14 (16, 18) needles in "D" position, then hand wind yarn from left to right (as in instruction book). R.C. 0. T. 6.2, K. 18 (20, 20) rows. ** Cast on 22 (23, 24) sts. at beg. of next row, then 8 (9, 10) sts. at beg. of following row. 44 (48, 52) sts. *** K. 2 (0, 0) rows. Inc. 1 st. at each end of next row and every following 4th row 14 (17, 19) times, then in every 2nd row 6 (4, 4) times . . . 86 (92, 100) sts. K. 1 row. 92 (100, 108) rows. Cast on 4 (5, 5) sts. at beg. next 2 rows . . . 94 (102, 110) sts. Dec. 1 st. each end of every 6th row 10 times . . . 74 (82, 90) sts. *** K. 14 (24, 34) rows. Shape work. Push 15 needles opposite carriage into "D" position and set for partial knitting as in Instruction Book and K.2 rows. Rep. last 2 rows 3 times but pushing 15 extra needles into "D" position in next row and following 2 alt. rows. K. 2 rows, dec. 1 st. on end of last row. Set machine for K.1, P.1 rib. T.2, rib 10 rows. Cast off.

LEFT LEG-Work as given for Right Leg to **. Cast on 8 (9, 10) sts. at beg. of next row, then 22 (23, 24) sts. at beg. following row. 44 (48, 52) sts. Work as for Right Leg from *** to ***. K. 15 (25, 35) rows. Shape work as for Right Leg. K. 1 row. Dec. 1 st. at beg. of row. Set machine for K.1, P.1 rib, T. 2 rib. 10 rows. Cast off.

RIGHT SOLE-Select 63 (67, 71) needles on main bed. T. 0 set machine and cast-on for Double Rib. R.C. O. T. 3 main machine, T. 2 ribber, rib 14 rows. ** Cast off 33 (34, 35) sts. at beg. of next row, then 19 (20, 21) sts. at beg. following row. Rib 22 (24, 26) rows. Dec. 1 st. at each end of ribber and main machine in next 6 rows. Transfer every st. on ribber to main bed needles. Cast off.

LEFT SOLE-Work as for Right Sole to **. Cast off 19 (20, 21) sts. at beg. of next row, then 33 (34,





Continued from page 6.

35) sts. at beg. following row. Complete as for Right Sole.

MAKE UP-DO NOT PRESS. Using back stitch,

sew cast on edge of sole to sides and beg. of instep, then sew up leg, front, back and sole seams. Thread elastic through rib at waist in 1st, 3rd, 6th and 9th

1

Baby's smook

THIS INSTRUCTION IS SUITABLE FOR ALL MODELS.

Illustration on page 8.

MEASUREMEN	ITS			
Size		Α	В	С
Underarm	cm	41	46	51
	ins.	16	18	20
Measures	cm	41	46	51
	ins.	16	18	20
Length	cm	24	25	27
	ins.	9½	10	101/2
Sleeve Seam	cm	13	15	18
	ins.	5	6	7

MATERIALS

PATONS FEATHERSOFT "PATONISED"

25g balls 4 4 5

3.00 (No. 10-11) Crochet Hook.

3 Small Buttons.

PATTERN STITCH

TENSION—34 sts. and 48 rows to 10 cm (4 ins.) over st. st. Suggested tension 6.2. Check the tension on your machine to ensure accuracy.

YOKE—Carriage on right, bring 20 needles into "D" position, then hand wind yarn from left to right as in instruction book. R.C. 0. T. 6.2. Knit 5 rows. Shape work. ** Push 5 needles opposite carriage into "D" position and K. 2 rows. * Rep. from ** to * twice. (Instruction book page 68 model 321, page 18 models 322 and 323). K. 6 rows **. Rep. from ** to ** 21 times, then from ** to * 3 times. K. 5 rows. 268 rows. Cast off.

SKIRT BACK—Carriage on right, using waste knitting, cast on 97 (103, 109) sts. ** Carriage on left T. 7.1, K. 6 rows. K. 1 row with ravel cord. T. 4.1, using Feathersoft, K. 7 rows. Transfer 2nd and every following 3rd st. on to adjacent needle, leave empty needles in working position then K. 1 row. T. 6.2 K. 6 rows. Take up hem. T. 7.1. K. 1 row. R.C. 0. T. 6.2. Transfer 2nd and every following 3rd st. on to adjacent needle, leave empty needles in working position, then K. 1 row. ** Work 54 (58, 60) rows in pattern. Keeping patt. correct, shape armholes: R.C. 0. Cast off 2 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next row and every 2nd row 9 (10, 11) times. 73 (77, 81) sts. K. 1 row. 22 (24, 26) rows. Cast off.

FRONT-Work as given for Back.

SLEEVES—Carriage on right, using waste knitting, cast on 43 sts. Work as given from ** to ** for Skirt Back. K. 2 rows. Working in pattern inc. 1 st. at each end of next row and every 4th row 6 (4, 1) time/s, then every following 6th row 2 (5, 9) times. 61 (63, 65) sts. K. 13 (15, 15) rows. 53 (65, 77) rows. Keeping pattern correct.

Armhole Shaping. R.C. 0. Cast off 2 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next row and every 2nd row 9 (10, 11) times. 37 sts. K. 1 row. 22 (24, 26) rows. Cast off.

NECKBAND—Carriage on right, using waste knitting, cast on 97 (103, 109) sts. Work as given from ** to ** for Skirt Back. Cast off.

MAKE UP—DO NOT PRESS. Using back-stitch, sew up raglan, side and sleeve seams. Sew skirts and sleeves to yoke easing to fit. Sew neckband in position. With right side facing, using 3.00 (No. 10-11) Hook, work 2 rows d.c. evenly along back opening and along sides of neckband, working three 2 ch. buttonloops on right edge in 2nd row. Fasten off. Using 3 strands of yarn, 1½ m. (1½ yds.) long for each cord, make 2 twisted cords and thread through holes at neck and catch at centre back. Sew on buttons.

^{*} Knit 6 rows. Transfer 4th and every following 6th st. on to adjacent needles. Knit 6 rows. Transfer 7th and every following 6th st. on to adjacent needle, leaving 7 needles at end of work *. Rep. from * to * for Pattern.



SUITABLE FOR MODELS WITH 321 or 322 RIBBER

Illustration on page 12.

MEASUREMEN	ITS		
Size		A	В
Chest	cm	41	51
	ins.	16	20
Measures	cm	41	51
	ins.	16	20
Length	cm	24	27
	ins.	91/2	101/2
Sleeve Seam	cm	13	18
	ins.	5	7

MATERIALS

PATONS FEATHERSOFT "PATONISED"

25g balls 4

Length of Ribbon. 3.00 (No. 10-11) Crochet Hook.

PATTERN

Punch Card as shown for Pattern 17, Memo-Matic Pattern Book, page 102. (Punch Tuck Rib).

TENSION—1 patt. to 4.8 cm (1-7/8 ins.) in width, 1 patt. to 2.5 cm (1 in.) in depth. Suggested tension 6.2 main machine 5.2 ribber. Check the tension on your machine to ensure accuracy.

BACK-Select 53 (65) needles on main bed -25 (37) R of 0. 28 L of 0. 52 (64) needles on ribber. Set machine and cast on for Double Rib. R.C. 0. Using card and main tensions. K. 91 (95) rows in Punch Tuck Rib as in instruction book.

Shape Raglan. R.C. 0. Transfer 2 end sts. on ribber on to 2 end sts. on main bed and cast these off at beg. of next 2 rows. Dec. 1 st. each end of ribber and main bed in next row and every following 4th row 12 (3) times, then in every following 3rd row 2 (15) times. 19 (23) sts. K. 1 (2) row/s. 58 (62) rows. Transfer every st. on ribber on to needles on main bed. Cast off.

LEFT FRONT. Select 41 (53) needles on main bed. 13 (25) R of 0. 28 L of 0. 40 (52) needles on ribber. Set machine and cast on for Double Rib. R.C. 0. Using card and main tensions K. 61 (65) rows. Shape front slope: Dec. 1 st. at left side of ribber and main bed in next row and every 4th row 7 (2) times,

then every 3rd row 0 (7) times. K. 1 (0) row/s. 91 (95) rows. 33 (43) sts.

Shape Raglan. R.C. 0. Transfer 2 end sts. on ribber nearest carriage on to main bed then cast these off at beg. of next row. Dec. 1 st. at each end of ribber and main bed in 2nd row then at armhole edge in every 4th row 12 (3) times, then every 3rd row 2 (15) times. AT SAME TIME Dec. 1 st. at front slope in every 4th (3rd) row 13 (19) times. K. 1(2) rows. 2 sts. 58 (62) rows. K. 2 tog. Fasten off.

RIGHT FRONT—Work as given for Left Front, reversing shapings.

SLEEVES—Select 33 (37) needles on main bed. 15 (17) R of 0. 18 (20) L of 0. 32 (36) needles on ribber. Set machine and cast on for Double Rib. R.C. 0. Using card and main tensions K. 9 rows. Inc. 1st. at each end of ribber and main bed in next row and every 18th (16th) row 3 (4) times. 41 (47) sts. K. 11 (15) rows. 75 (89) rows.

Shape Raglan. R.C. 0. Transfer 2 end sts. on ribber on to 2 end sts. on main bed, then cast these off at beg. of next 2 rows. Dec. 1 st. at each end of ribber and main bed next row and every 4th row 11 (6) times, then every 3rd row 3 (11) times. 7 sts. K. 2 rows. 58 (62) rows. Transfer every st. on ribber on to main bed. Cast off.

MAKE UP-DO NOT PRESS. Using back-stitch, sew sleeves to fronts and back, noting that tops of sleeves form part of neckline, then sew up side and sleeve seams, leaving 2 cm (¾ in.) opening in right side seam for ribbon. Using Hook, work 2 rows double crochet evenly along front edges and across back of neck. Fasten off. Attach ribbon to start of dec. on each front.



Baby's matinee Jacket

THIS INSTRUCTION SUITABLE FOR MODELS 312, 313, 321, 322/323. Illustration Back Cover

MEASUREMEN	NTS			
Size		A	В	С
Chest	cm	41	46	51
	ins.	16	18	20
Measures	cm	41	46	51
	ins.	16	18	20
Length	cm	23	24	25
	ins.	9	91/2	10
Sleeve Seam	cm	13	15	18
	ins.	5	6	7

MATERIALS

PATONS FEATHERSOFT BABY NYLON "PATONISED"

25g balls 4 4 5

3 Small Buttons

PATTERN

BODICE

Models 312, 313 — Card 7A — Tuck (6) Page 6. Model 321 — Card 7A — Tuck (4) Page 22. Models 322/323 — Card 7A — Tuck (4) Page 36.

SKIRT AND SLEEVES

Models 312, 313 — Card 7A — Tuck (31) Page 19. Model 321 — Card 7A — Tuck (3) Page 23. Models 322/323 — Card 7A — Tuck (3) — Page 37.

TENSION-27 sts. and 100 rows to 10 cm (4 ins.) over bodice patt. 28 sts. and 88 rows to 10 cm (4 ins.) over skirt and sleeve patt., noting to count needles in "A" position. Suggested tension 5.2. Check the tension on your machine to ensure accuracy.

SKIRT

BACK—Carriage on right, using waste knitting cast on 82 (82, 94) sts. * Carriage on left T. 7.2, K. 6 rows. K. 1 row with ravel cord. T. 5.2 using Feathersoft K. 7 rows. Transfer every 2nd st. on to adjacent needle, leave empty needles in working position, then K. 1 row. T. 6.2, K. 6 rows. Take up hem. T. 7.1, K. 1 row. ** R.C. 0. T. 5.2. Transfer every 5th and 6th sts. on to adjacent needles, leave empty needles in "A" position. Using card K. 113 (119, 125) rows. ***

Armhole Shaping. R.C. O. Cast off 2sts. at beg. of

next 2 rows. Dec. 1 st. each end of next row and every 2nd row 3 (3, 2) times. 70 (70, 84) sts. (noting to count needles in "A" position as sts.). K. 5 (7, 11), rows. Stop Card. Bring empty needles in "A" position back to "B" position, by picking up base of adjacent sts. Cam lever on Stockinet, side levers on . K. 3 rows. Cast off.

LEFT FRONT—Carriage on right, using waste knitting cast on 40 (46, 46) sts. Work as given for Skirt Back from * to ****.

Armhole Shaping. R.C. 0. Cast off 2 sts. at beg. of next row. Dec. 1 st. at armhole edge in every 2nd row 4 (4, 3) times. 34 (40, 41) sts. (noting to count needles in "A" position as sts.). K. 5 (7, 11) rows. Bring empty needles in "A" position back to "B" position. Cam lever on stockinet, side levers on ■ K. 3 rows. Cast off.

RIGHT FRONT—Work to correspond with Skirt— Left Front, reversing shapings.

BODICE

BACK BODICE—Carriage on right, bring 48 (54, 60) needles into "D" position, then hand wind yarn from left to right as in instruction book. T. 5.2 Knit 2 rows. R.C. 0. Using card (and all needles) K. 76 (82, 86) rows in Bodice Pattern.

Shape Shoulders. Cast off 5 (5, 6) sts. at beg. of next 4 rows, then 4 (6, 6) sts. at beg. of following 2 rows. 20 (22, 24) sts. Cast off.


LEFT FRONT BODICE—Carriage on right, bring 24 (27, 30) needles into "D" position, then hand wind yarn from left to right as in instruction book. T. 5.2. Knit 2 rows. R.C. 0. Using card (and all needles) K. 27 (33, 33) rows in Bodice Pattern.

Shape Neck. R.C. 0. Cast off 4 (5, 5) sts. at beg. of next row. Dec. 1 st. at neck edge in next row and every following 4th row 5 (5, 6) times. 14 (16, 18) sts. K. 27 rows.

Shape shoulder. Cast off 5 (5, 6) sts. at beg. of next row and following 2nd row. Work 1 row. 53 (53, 57) rows. Cast off.

RIGHT FRONT BODICE—Work to correspond with Left Front Bodice.

SLEEVES—Carriage on left, bring 46 (52, 58) needles into "D" position, then hand wind from right to left as in instruction book. R.C. 0. T. 5.2,



K. 2 rows. Transfer every 5th and 6th sts. on to adjacent needles, leave empty needles in "A" position. Using card K. 96 (118, 140) rows as in skirt pattern.

Armhole Shaping. R.C. 0. Cast off 2 sts. at beg. of next 2 rows. Dec. 1 st. at each end of next row and every following 3rd row 15 (17, 19) times. 10 (12, 14) sts. (counting needles in "A" position). Stop Card. Bring empty needles in "A" position back to "B" position by picking up base of adjacent sts. Cam lever on Stockinet, Side levers on 0. K. 1 row. 51 (57, 63) rows. Cast off.

SLEEVE BAND—(Make 2). Carriage on right, using waste knitting cast on 30 (32, 34) sts. Work as given for Skirt Back from * to **. Cast off.


waste knitting, cast on 54 (60, 64) sts. Carriage on left T. 7.2, K. 6 rows. K. 1 row with ravel cord. T. 5.2, using Feathersoft, K. 3 rows. * Counting from

left, transfer 3rd and 4th, 11th and 12th, 19th and 20th sts. on to adjacent needles (buttonholes), leave empty needles in working position. K. 1 row. Remove yarn from buttonhole needles and wind around needles to form cast on edge. ** K. 3 rows. Transfer every 2nd st. on to adjacent needle, leave empty needles in working position, then K. 1 row. T. 6.2, K. 3 rows. Rep. from * to ** once. K. 1 row. Take up hem. T. 7.1, K. 2 rows. Cast off.

LEFT FRONT BAND—Work as given for Right Front Band omitting buttonholes.

NECKBAND—Carriage on right using waste knitting, cast on 54 (60, 64) sts. Work as given for Skirt Back from * to **. Cast off.

MAKE UP-DO NOT PRESS. Using back stitch, sew skirts to yokes gathering skirts to fit. Sew up shoulder, side and sleeve seams. Sew in sleeves placing seams to side seams. Sew sleeve, neck and front bands in position. Sew on buttons.



EQUIVALENT BASIC PUNCH CARD STITCH DESIGNS FOR MODELS 321 & 322/323 TO ENABLE 322/323 OWNERS TO USE PREVIOUS PATTERN BOOKS

321 CARDS	page EQUIV 322/323 CARD			321 CARDS	page	EQUIV 322/323 CARD	page				
	·	TUC	K KN	ITTING							
1a Solid (2) 1a Appli. (3) 1a Colours (4) 3a Solid (8) 3a Resting (1) 3a Appli. (5) 3a Colours (6) 3a Colours (7) 4a Solid (12) 4a Resting (2) 4a Colours (5) 6a Solid (11) 6a Appli. (2) 6a Colours (8) 6a Colours (9)	20 27 26 22 23 27 28 26 26 23 23 27 26 23 27 26	1a Solid (2) 1a Appli. (2) 1a Colours (4) 3a Solid (8) 3a Resting (1) 3a Appli. (3) 3a Appli. (4) 3a Colours (6) 3a Colours (7) 4a Solid (11) 4a Resting (2) 4a Colours (5) New card design New card design New card design	35 38 41 36 37 38 38 41 41 41 	7a Solid (3) 7a Resting (1) 7a Appli. (1) 7a Colours (2) 7a Colours (3) 8a Solid (3) 9a Solid (7) 10a Solid (5) 11a Solid (9) 12a Solid (1) 12a Appli. (6) 12a Colours (1) 14a Solid (-) 18a Solid (10) 19a Solid (6)	23 27 27 25 25 22 22 22 20 29 24 - 23 22	7a Solid (4) 7a Resting (3) 7a Appli. (1) 7a Colours (2) 7a Colours (3) 8a Solid (3) 9a Solid (7) 10a Solid (5) 11a Solid (9) 12a Solid (1) 12a Appli. (1) 12a Colours (1) 14a Solid (6) 18a Solid (10) New card design	36 37 38 40 40 35 36 36 36 34 41 39 36 37				
SLIP PATTERNS											
1a Solid (5) 2a Solid (6) 2a Colour (5) 2a Appli. (2) 3a Solid (8) 3a Appli. (1) 3a Colours (3) 7a Solid (7) 7a Colours (6) 8a Solid (2)	30 30 33 34 31 34 33 30 33 30	1a Solid (5) 2a Solid (6) 2a Colour (5) 2a Appli. (2) 3a Solid (8) 3a Appli. (1) 3a Colours (3) 7a Solid (7) 7a Colours (6) 8a Solid (2)	43 43 46 47 44 47 46 43 46 43	8a Colours (8) 9a Solid (4) 9a Colours (4) 10a Solid (3) 10a Colours (7) 11a Solid (9) 12a Solid (10) 12a Colours (2) 18a Solid (1) 18a Colours (1)	34 30 33 30 33 31 34 31 33 29 32	8a Colours (8) 9a Solid (4) 9a Colours (4) 10a Solid (3) 10a Colours (7) 11a Solid (9) 12a Solid (10) 12a Solid (2) 18a Solid (1) 18a Colours (1)	47 43 46 43 46 44 47 44 46 42 45				
KNIT-IN (FAIRISLE)											
1a (5) 2a (9) 2a Appli. (2) 3a (15) 4a (2) 5a (18) 7a (17) 8a Appli. (1) 9a (4) 10a (10)	36 37 39 38 36 39 38 39 36 37	1a (5) 2a (9) 2a Appli. (2) 3a (14) 4a (2) New card design 7a (16) 8a Appli. (1) 9a (4) 10a (10)	49 50 51 51 49 51 51 49 50	11a (16) 12a (18) 13a (13) 14a (12) 15a (3) 16a (7) 17a (6) 18a (11) 19a (14) 20a (1)	38 37 38 38 36 37 37 37 38 35	11a (15) 12a (8) 13a (13) 14a (12) 15a (3) 16a (7) 17a (6) 18a (11) New card design 20a (1)	51 50 50 50 49 49 49 50 -				
			WEAV	ING							
1a (2) 1a Appli. (1) 2a (5) 2a Resting (3) 2a Appli. (2) 3a (7) 3a (13) 3a Resting (2) 3a Appli. (3) 3a Appli. (4)	42 45 42 44 45 42 43 44 45 45	1a (2) 1a Appli. (1) 2a (4) 2a Resting (3) 2a Appli. (2) 3a (6) 3a (11) 3a Resting (2) 3a Appli. (3) 3a Appli. (4)	56 59 57 58 59 57 58 58 59 59	4a (8) 4a Resting (1) 5a (10) 7a (12) 8a (6) 9a (3) 14a (1) 16a (11) 18a (9) 19a (4)	43 44 43 42 42 40 43 43 42	Aa (7) 4a Resting (1) New card design 7a (10) 8a (5) 9a (3) 14a (1) 16a (9) 18a (8) New card design	57 58 - 58 57 56 55 57 57				
		PL	JNCH	LACE							
1a (6) 2a (3) 5a (2) 7a (4)	48 48 48 48	1a (6) 2a (3) New card design 7a (4)	62 62 - 62	14a (-) 15a (1) 17a (7) 20a (5)	- 46 48 48	14a (2) 15a (1) 17a (7) 20a (5)	62 60 60				
		LA	CE KN	ITTING							
1a (1) 2a Appli. (2) 3a (3)	49 51 51	1a (1) 2a Appli. (2) 3a Appli. (1)	63 64 64	3a Appli. (1) 4a (2)	51 51	3a (3) 4a (2)	64 64				

Published with All Rights Reserved by

SINGER AUSTRALIA LIMITED

SINGER Memo-Matic* KNITTING FASHIONS

